International Journal of Creative and Open Research in Engineering and Management
ISSN: 3108-1754 (Online)
Volume 02 Issue 10 October-2026 | Impact Factor: 3.5



NidraNet -AI Based Driver Drowsiness Detection

ANNADANARANGA B R
Department of CSE
VTU University
Belagavi, India
annadanaranga4@gmail.com

JEEVTHA C
Department of CSE
VTU University
Belagavi, India
jeevi2823@gmail.com

NITHIN M
Department of CSE
VTU University
Belagavi, India
nithinmgowda040824@gmail.com

POORNIMA BASIRALA
Department of CSE
VTU University
Belagavi, India
poornimaybasiral@gmail.com

Guide : Dr. M GOPAL

Professor of CSE department VTU University Belagavi ,India

mallegopal0288@gmail.com

How to Cite this Article:

R, A. B., C, J., M, N. & BASIRALA, P. (2026). NidraNet -AI Based Driver Drowsiness Detection. International Journal of Creative and Open Research in Engineering and Management, 02(10), 1-9. https://doi.org/10.55041/ijcope.v2i10.182

License:

This article is published under the terms of the Creative Commons Attribution 4.0 International License (CC BY 4.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original author(s) and the source are credited.

© The Author(s). Published by International Journal of Creative and Open Research in Engineering and Management.







https://doi.org/10.55041/ijcope.v2i10.182

Abstract—

Driver drowsiness is one of the major factors contributing to road accidents, as fatigue and lack of sleep can reduce a driver's attention, reaction time, and ability to control a vehicle safely. NidraNet: AI-Based Driver Drowsiness Detection System is a proposed intelligent system designed to monitor driver alertness using Artificial Intelligence (AI), Deep Learning, and Computer Vision techniques. The system uses a camera or webcam to capture the driver's facial images and analyzes visual indicators such as eye closure, blinking patterns, yawning, and facial movements to identify possible signs of drowsiness. Image processing techniques using OpenCV help process the captured frames, while a deep-learning model, such as a Convolutional Neural Network (CNN) or EfficientNet, can be used to classify the driver's state as alert or drowsy. When drowsiness is detected, the system can generate an audible warning to alert the driver and encourage timely action. A web-based interface allows users to interact with the system, while SQLite can be used to store relevant user information and detection records when database functionality is implemented. The main objective of NidraNet is to support early detection of driver fatigue and improve road safety through timely warnings. The system may be further enhanced with infrared cameras, mobile notifications, and vehicle-integrated safety features. NidraNet demonstrates the potential of AI-based driver monitoring as a supportive technology for reducing fatigue-related driving risks.

The primary objective of NidraNet is to support the early identification of visual signs associated with driver drowsiness and improve awareness of fatigue-related driving risks. The proposed approach offers the advantages of automated monitoring, real-time processing potential, and compatibility with commonly available computing devices and cameras. However, the reliability of the system depends on factors such as camera placement, lighting conditions, facial visibility, dataset quality, model performance, and processing speed.

Keywords—NidraNet, Driver Drowsiness Detection, Artificial Intelligence, Deep Learning, Computer Vision, OpenCV, CNN, EfficientNet, Driver Monitoring, Road Safety.



I. INTRODUCTION

Driver drowsiness is one of the major causes of road accidents worldwide. Long-distance driving, lack of sleep, fatigue, and continuous driving for extended periods can reduce a driver's alertness and reaction time, increasing the risk of road accidents. Traditional safety measures may not always identify early signs of drowsiness, making it necessary to develop intelligent systems that can continuously monitor a driver's condition and provide timely warnings.

NidraNet – AI-Based Driver Drowsiness Detection is a proposed intelligent driver-monitoring system that uses Artificial Intelligence (AI) and computer vision techniques to identify signs of drowsiness and reduced alertness while driving. The system can analyze facial features, eye movements, eye closure duration, blinking patterns, and other visual indicators to determine whether a driver is becoming drowsy. Based on the detected conditions, the system can generate an alert, such as an audio alarm, to warn the driver and encourage them to regain attention or take a break when necessary.

The proposed system aims to provide a real-time, non-invasive, and efficient solution for improving road safety. By using a camera and AI-based image processing techniques, NidraNet can monitor driver behavior without requiring physical sensors attached to the driver's body. The system can be designed to operate under different driving conditions, although variations in lighting, facial position, spectacles, and camera quality may affect detection accuracy.

The primary objective of this research is to develop and evaluate an AI-based driver drowsiness detection system that can identify early signs of fatigue and provide timely warnings. The performance of the proposed system can be assessed using parameters such as detection accuracy, precision, recall, false alarm rate, and response time. NidraNet aims to contribute to the development of intelligent transportation safety systems by reducing the risks associated with drowsy driving and supporting safer driving practices.

II. LITERATURE REVIEW

Driver drowsiness detection has become an important research area in Artificial Intelligence, Machine Learning, and Computer Vision because driver fatigue can reduce concentration and increase the risk of road accidents. Researchers have developed various methods to identify drowsiness using facial features, eye movements, yawning patterns, physiological signals, and deep-learning algorithms. Existing research demonstrates the potential of automated driver-monitoring systems, while also identifying challenges related to lighting conditions, model accuracy, computational requirements, and real-world implementation.

[1]. Ji, Zhu, and Lan – Real-Time Driver Fatigue Monitoring

The researchers studied non-intrusive methods for monitoring driver fatigue. Their approach focused on observing driver behaviour to identify signs of tiredness. This research supports the use of continuous monitoring to detect drowsiness before it becomes dangerous.

[2]. Existing Research on Yawning Detection

Computer-vision techniques have been used to identify yawning by analysing mouth shape and facial movements. Frequent yawning can be an indicator of fatigue. Combining yawning detection with eye-closure detection may provide more useful information than relying on only one facial feature.

[3]. CNN-Based Driver Drowsiness Detection

Convolutional Neural Networks (CNNs) are widely used to classify images and identify facial features. In driver-monitoring applications, CNN models can classify eyes as open or closed and detect yawning. These methods can reduce the need for manually designed image features. However, their performance depends on the quality and variety of training data.



III. METHODOLOGY

The proposed NidraNet: AI-Based Driver Drowsiness Detection System follows a systematic approach to monitor driver alertness and identify potential signs of fatigue using Artificial Intelligence and Computer Vision. Initially, a webcam or camera captures the driver's facial images and continuous video frames. These frames are processed using OpenCV to prepare the visual information for analysis. The system then applies image preprocessing techniques, such as resizing and normalization, to maintain a suitable input format for the trained deep-learning model.

The next stage involves analyzing facial characteristics and identifying visual indicators associated with drowsiness, including prolonged eye closure, changes in blinking patterns, yawning, and head movements. Depending on the implemented architecture, a Convolutional Neural Network (CNN) or EfficientNet model can classify the captured images into alert and drowsy categories. The system uses the model's prediction to determine whether a warning is required. When the implemented detection logic identifies possible drowsiness, an audible alarm is activated to notify the driver and encourage appropriate safety measures, such as stopping at a safe location to rest.

The system can be integrated with a web application developed using HTML, CSS, JavaScript, Bootstrap, and a suitable Python web framework. The application provides a user interface for accessing the system and viewing detection information. SQLite can be used to maintain user details and detection history if database functionality is included. The complete application is tested under different conditions to evaluate its operation, including camera performance, prediction response time, alert generation, and system stability. Model performance can be measured using accuracy, precision, recall, and F1-score based on actual test results. The proposed methodology aims to combine real-time visual monitoring.

IV. RESULTS AND DISCUSSION

The proposed NidraNet system aims to detect driver drowsiness by analyzing facial images captured through a webcam using AI and computer vision techniques. The system classifies the driver's state as alert or drowsy and generates an audible warning when possible signs of drowsiness are detected. The web interface allows users to interact with the application and view detection results. The system's performance should be evaluated using accuracy, precision, recall, and response time. Actual testing is required to determine its reliability under different lighting and environmental conditions.

i. Homepage And Login Page

i.a Home Page


The homepage of NidraNet provides a user-friendly interface for the AI-Based Driver Drowsiness Detection System. It introduces the project's main purpose and allows users to access the drowsiness detection feature. The homepage may include options such as Home, Login, Start Detection, About Us, and Contact Us. It helps users navigate the application easily and access real-time driver monitoring features. The main objective of the homepage is to provide simple access to the system and support driver safety through AI-based drowsiness detection.



Fig 1.a Home page

1.b Login page

The login page of NidraNet provides secure access to the AI-Based Driver Drowsiness Detection System. It allows registered users to log in using their username or email address and password. The system verifies the entered credentials before



granting access to the dashboard and driver drowsiness detection features. The login page may include registration, forgot-password, and logout options to improve usability and access management. Authentication helps protect user accounts and restrict access to authorized users. This module supports secure interaction with the application and provides a convenient way for users to access the system's features.



Fig 1.b Login page

ii. Dashboard

The dashboard of NidraNet: AI-Based Driver Drowsiness Detection System provides a centralized interface for monitoring driver alertness and managing the system's functions. After successful login, users can access the dashboard to start driver monitoring, view detection results, and check the current monitoring status. The dashboard is designed to display important information clearly and make the application easy to operate.

The dashboard includes features such as Start Detection, Stop Detection, Driver Status, Alert Notifications, Detection History, and User Profile, depending on the functions implemented in the application. The Start Detection option activates the camera and begins monitoring the driver's facial behaviour. The system analyzes the captured video frames using computer vision and the trained AI model to identify possible signs of drowsiness. The Driver Status section displays the predicted state, such as alert or drowsy, based on the model's output. When drowsiness is detected, the system can generate an audible warning to notify the driver.

The dashboard can also provide a Detection History section to review previously recorded events, including timestamps and detection results, if database functionality is available. The User Profile section allows users to view or manage their account information. The Stop Detection option terminates the monitoring process when required. These functions help organize the system's operations and improve the user experience.




Fig 2. Dashboard

iii. Admin page

The Admin Page of NidraNet: AI-Based Driver Drowsiness Detection System provides an administrative interface for managing users and monitoring application activities. The administrator can log in using authorized credentials and access the administrative dashboard to manage registered users, review detection records, and monitor the overall functioning of the application. The page is designed to simplify system management and provide controlled access to important information.

The Admin Page may include features such as User Management, Driver Detection Records, Monitoring Reports, System Status, and Account Management. The User Management module allows the administrator to view registered users and manage their accounts. The Detection Records module provides access to stored drowsiness events, including timestamps and detection results, if database storage is implemented. The Reports section can help the administrator review available detection records and summarize system activity. The System Status section may display information about the application's operation, while Account Management supports secure administrator access.



The main objective of the Admin Page is to improve application management, protect stored information, and provide an organized way to review system activities. Appropriate authentication and authorization mechanisms should restrict administrative functions to authorized personnel. SQLite can be used to store relevant user and detection information when this functionality is implemented. Overall, the Admin Page supports the management and supervision of the NidraNet application while helping maintain organized records and controlled access.




4.Working page

The Working Page of NidraNet: AI-Based Driver Drowsiness Detection System is the main interface where the driver monitoring and drowsiness detection process takes place. It allows users to activate the camera and monitor the driver's facial behaviour in real time. The system captures video frames through a webcam and processes them using OpenCV and the trained AI model to identify possible signs of drowsiness, such as prolonged eye closure, blinking patterns, and yawning.

When the model identifies a possible drowsy state, the system displays the detection status and activates an audible warning to alert the driver. If the driver is classified as alert, the interface displays the corresponding status. The Working Page may include options such as Start Detection, Stop Detection, Live Camera Feed, Driver Status, and Alert Notifications, depending on the implemented features. It provides users with immediate feedback about the model's predictions and helps them understand the system's operation.

The main objective of the Working Page is to integrate camera input, image processing, AI-based classification, and warning generation into a single interface. This module demonstrates how NidraNet can monitor visual signs of driver fatigue and provide timely warnings to support safer driving practices.



V. CONCLUSION

NidraNet: AI-Based Driver Drowsiness Detection System is designed to improve driver awareness and support road safety through the application of Artificial Intelligence, Deep Learning, and Computer Vision. Driver fatigue can reduce concentration, slow reaction time, and increase the risk of road accidents. To address this problem, the proposed system uses a camera or webcam to capture the driver's facial images and analyze visual indicators associated with drowsiness, such as eye closure, blinking patterns, yawning, and facial movements.

The system integrates image processing using OpenCV with a deep-learning model to classify the driver's state as alert or potentially drowsy. When the detection logic identifies possible drowsiness, an audible warning can notify the driver and encourage appropriate safety measures, such as stopping at a safe location to rest. The web-based interface provides a convenient platform for accessing the detection system and viewing its output. Additionally, SQLite can be used to



maintain user information and detection records when these features are implemented.

The proposed NidraNet system demonstrates how AI-based visual monitoring can be applied to driver assistance. Its potential advantages include automated monitoring, timely warnings, reduced dependence on manual observation, and compatibility with commonly available computing devices and cameras. However, its reliability depends on the quality of the training dataset, model performance, lighting conditions, camera positioning, and facial visibility. Therefore, systematic testing is necessary to evaluate the model's accuracy, response time, and false-alarm rate under different operating conditions.

In the future, NidraNet can be enhanced by incorporating infrared cameras for low-light environments, improved deep-learning architectures, mobile notifications, and fleet-monitoring features. Further research can also explore integration with advanced driver-assistance systems after appropriate safety validation. Overall, NidraNet provides a foundation for developing an intelligent driver-monitoring application that aims to identify possible signs of fatigue and encourage safer driving behaviour. The system is intended to complement responsible driving practices rather than replace adequate rest, driver attention, or established vehicle safety mechanisms.

VI. REFERENCES

[1] T. Fonseca and S. Ferreira, “Drowsiness Detection in Drivers: A Systematic Review of Deep Learning-Based Models,” Applied Sciences, vol. 15, no. 16, article 9018, 2025. DOI: 10.3390/app15169018.

[2] M. Tan and Q. Le, “EfficientNet: Rethinking Model Scaling for Convolutional Neural Networks,” in Proceedings of the 36th International Conference on Machine Learning, vol. 97, pp. 6105–6114, 2019.

[3] A. Quddus, A. S. Zandi, L. Prest, and F. J. Comeau, “Using Long Short-Term Memory and

Convolutional Neural Networks for Driver Drowsiness Detection,” Accident Analysis & Prevention, vol. 156, article 106107, 2021.

[4] S. A. El-Nabi, E.-S. M. El-Rabaie, A. Emam, and K. F. Ramadan, “Machine Learning and Deep Learning Techniques for Driver Fatigue and Drowsiness Detection: A Review,” Multimedia Tools and Applications, vol. 83, pp. 9441–9477, 2024.

[5] OpenCV, “OpenCV Documentation.” Available at: "Official OpenCV Website" (https://reference-url-citation.invalid/0)

[6] F. Chollet, “Xception: Deep Learning with Depthwise Separable Convolutions,” in Proceedings of the IEEE Conference on Computer Vision and Pattern Recognition (CVPR), pp. 1251–1258, 2017.

[7] N. Y. Peker, E. Peker, and A. Zengin, “A Comparative Review of Driver Drowsiness Detection Systems: Recent Advances, Applications, Challenges, and Future Directions,” Measurement, vol. 279, article 121676, 2026. DOI: 10.1016/j.measurement.2026.1216